

Amendment –III dated 24.01.2024 to RFP documents for selection of bidder as Transmission Service Provider to establish “Transmission system for evacuation of power from Rajasthan REZ Ph-IV (Part-2:5.5 GW) (Jaisalmer/ Barmer Complex): Part E” through tariff based competitive bidding process.

SI. No.	Clause No.	Existing Provisions	New / Revised Provisions																									
1.	Clause 2.6 of RFP	<p>2.6 Project Schedule</p> <p>2.6.1. All Elements of the Project are required to be commissioned progressively as per the schedule given in the following table;</p> <table border="1"> <thead> <tr> <th>S. No.</th> <th>Name of the Transmission Element</th> <th>Scheduled COD in months from Effective Date</th> <th>Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th>Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor</td> <td rowspan="2">24 months from date of SPV acquisition</td> <td rowspan="2"><u>100%</u></td> <td rowspan="2">All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.</td> </tr> <tr> <td>2.</td> <td>Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for</td> </tr> </tbody> </table>	S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element	1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>100%</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.	2.	Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for	<p>2.6 Project Schedule</p> <p>2.6.1. All Elements of the Project are required to be commissioned progressively as per the schedule given in the following table;</p> <table border="1"> <thead> <tr> <th>S. No.</th> <th>Name of the Transmission Element</th> <th>Scheduled COD in months from Effective Date</th> <th>Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th>Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor</td> <td rowspan="2">24 months from date of SPV acquisition</td> <td><u>10.45 %</u></td> <td rowspan="2">All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.</td> </tr> <tr> <td>2.</td> <td>• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for</td> <td><u>54.71 %</u></td> </tr> </tbody> </table>	S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element	1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>10.45 %</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.	2.	• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for	<u>54.71 %</u>
S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element																								
1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>100%</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.																								
2.	Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for																											
S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element																								
1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>10.45 %</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.																								
2.	• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for		<u>54.71 %</u>																									

Sl. No.	Clause No.	Existing Provisions				New / Revised Provisions					
			each circuit at Sirohi end					each circuit at Sirohi end.			
		3.	Rishabdeo - Mandsaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at Rishabdeo end					<ul style="list-style-type: none"> • 2 no. of 765 kV line bays at Sirohi PS for Sirohi PS-Rishabdeo 765 kV D/c line 			
		4.	LILO of one circuit of 765 kV Chittorgarh-Banaskanta D/c line at Rishabdeo S/s (20 km)				3.	<ul style="list-style-type: none"> • Rishabdeo - Mandsaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at Rishabdeo end. • 2 No. of 765 kV line bays at Mandsaur PS for Rishabdeo - Mandsaur PS 765 kV D/c line 		<u>33.62 %</u>	
		5.	2 No. of 765 kV line bays each at Sirohi PS & Mandsaur S/s				4.	LILO of one circuit of 765 kV Chittorgarh-Banaskanta D/c line at Rishabdeo S/s		<u>1.22 %</u>	
2.	Format 1 of Annexure 8 of RFP	Format 1: Bidders' Undertakings				Format 1: Bidders' Undertakings					

Sl. No.	Clause No.	Existing Provisions					New / Revised Provisions																													
		1. 2. ... 8. We confirm that our Bid meets the Scheduled COD of each transmission Element and the Project as specified below:					1. 2. ... 8. We confirm that our Bid meets the Scheduled COD of each transmission Element and the Project as specified below:																													
		<table border="1"> <thead> <tr> <th data-bbox="322 472 389 775">S. No.</th> <th data-bbox="389 472 607 775">Name of the Transmission Element</th> <th data-bbox="607 472 770 775">Scheduled COD in months from Effective Date</th> <th data-bbox="770 472 981 775">Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th data-bbox="981 472 1218 775">Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td data-bbox="322 775 389 1150">1.</td> <td data-bbox="389 775 607 1150">Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor</td> <td data-bbox="607 775 770 1150" rowspan="2">24 months from date of SPV acquisition</td> <td data-bbox="770 775 981 1150" rowspan="2" style="text-align: center;"><u>100%</u></td> <td data-bbox="981 775 1218 1150" rowspan="2">All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.</td> </tr> <tr> <td data-bbox="322 1150 389 1417">2.</td> <td data-bbox="389 1150 607 1417">Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for</td> </tr> </tbody> </table>					S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element	1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>100%</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.	2.	Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for	<table border="1"> <thead> <tr> <th data-bbox="1240 472 1308 775">S. No.</th> <th data-bbox="1308 472 1525 775">Name of the Transmission Element</th> <th data-bbox="1525 472 1688 775">Scheduled COD in months from Effective Date</th> <th data-bbox="1688 472 1935 775">Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th data-bbox="1935 472 2172 775">Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td data-bbox="1240 775 1308 1118">1.</td> <td data-bbox="1308 775 1525 1118">Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor</td> <td data-bbox="1525 775 1688 1118" rowspan="2">24 months from date of SPV acquisition</td> <td data-bbox="1688 775 1935 1118" style="text-align: center;"><u>10.45 %</u></td> <td data-bbox="1935 775 2172 1118" rowspan="2">All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.</td> </tr> <tr> <td data-bbox="1240 1118 1308 1422">2.</td> <td data-bbox="1308 1118 1525 1422">• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end.</td> <td data-bbox="1688 1118 1935 1422" style="text-align: center;"><u>54.71 %</u></td> </tr> </tbody> </table>					S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element	1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>10.45 %</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.	2.	• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end.	<u>54.71 %</u>
S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element																																
1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>100%</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.																																
2.	Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for																																			
S. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element																																
1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>10.45 %</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.																																
2.	• Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end.		<u>54.71 %</u>																																	

SI. No.	Clause No.	Existing Provisions				New / Revised Provisions					
					COD of the Element of the Project	(COD) of the respective Element				COD of the Element of the Project	(COD) of the respective Element
		1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>100%</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.	1.	Establishment of 765 kV Substation at suitable location near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor	24 months from date of SPV acquisition	<u>10.45 %</u>	All elements of the scheme are required to be commissioned simultaneously as their utilization is dependent on each other.
2.	Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end	2.	<ul style="list-style-type: none"> • Sirohi PS-Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end. • 2 no. of 765 kV line bays at Sirohi PS for Sirohi PS-Rishabdeo 765 kV D/c line 			<u>54.71 %</u>					
3.	Rishabdeo - Mandasaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at Rishabdeo end	3.	<ul style="list-style-type: none"> • Rishabdeo - Mandasaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at 			<u>33.62 %</u>					
4.	LILO of one circuit of 765										

Sl. No.	Clause No.	Existing Provisions		New / Revised Provisions						
			2x240 MVAR (765 kV) Bus Reactor		their utilization is dependent on each other.		near Rishabdeo (Distt. Udaipur) along with 2x240 MVAR (765 kV) Bus Reactor			commissioned simultaneously as their utilization is dependent on each other.
		2.	Sirohi PS- Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end							
		3.	Rishabdeo - Mandasaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at Rishabdeo end				<ul style="list-style-type: none"> • Sirohi PS- Rishabdeo 765 kV D/c line along with 330 MVAR switchable line reactor for each circuit at Sirohi end. 		<u>54.71 %</u>	
		4.	LILO of one circuit of 765 kV Chittorgarh-Banaskanta D/c line at Rishabdeo S/s (20 km)				<ul style="list-style-type: none"> • 2 no. of 765 kV line bays at Sirohi PS for Sirohi PS- Rishabdeo 765 kV D/c line 			
		5.	2 No. of 765 kV line bays each at Sirohi PS & Mandasaur S/s				<ul style="list-style-type: none"> • Rishabdeo - Mandasaur PS 765 kV D/c line along with 240 MVAR switchable line reactor for each circuit at Rishabdeo end. • 2 No. of 765 kV line bays at Mandasaur PS for Rishabdeo - Mandasaur PS 765 kV D/c line 		<u>33.62 %</u>	

Sl. No.	Clause No.	Existing Provisions	New / Revised Provisions				
			4.	LILO of one circuit of 765 kV Chittorgarh-Banaskanta D/c line at Rishabdeo S/s		<u>1.22 %</u>	