

Amendment –XXIV dated 16.06.2023 on the Request for Proposal Document and Transmission Service Agreement issued for selection of bidder as Transmission Service Provider to establish “Transmission system for evacuation of power from REZ in Rajasthan (20GW) under Phase-III Part C1” through tariff based competitive bidding process

| Sl. No. | Clause No. | Existing Provisions | New / Revised Clause | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|--|--|---|--|--|----|--|------------------|--------------------|--|----|--|--|--|--|---------|----------------------------------|---|--|--|----|---|-------------------------|-----------------------|--|----|--------------------------|--|-----------------------|
| 1. | RFP | <p>2.6 Project Schedule</p> <p>2.6.1. All Elements of the Project are required to be commissioned progressively as per the schedule given in the following table;</p> <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of the Transmission Element</th> <th>Scheduled COD in months from Effective Date</th> <th>Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th>Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor</td> <td align="center"><u>18</u></td> <td align="center"><u>100%</u></td> <td rowspan="2">Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other.</td> </tr> <tr> <td>2.</td> <td>Ramgarh – Bhadla-3 765kV D/c line along with 240 MVA Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line</td> <td></td> <td></td> </tr> </tbody> </table> | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | 1. | Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | <u>18</u> | <u>100%</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVA Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | <p>2.6 Project Schedule</p> <p>2.6.1. All Elements of the Project are required to be commissioned progressively as per the schedule given in the following table;</p> <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of the Transmission Element</th> <th>Scheduled COD in months from Effective Date</th> <th>Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project</th> <th>Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor</td> <td align="center"><u>18 months</u></td> <td align="center"><u>24.31 %</u></td> <td rowspan="2">Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other.</td> </tr> <tr> <td>2.</td> <td>Ramgarh – Bhadla-3 765kV</td> <td></td> <td align="center"><u>54.65 %</u></td> </tr> </tbody> </table> | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | 1. | Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | <u>18 months</u> | <u>24.31 %</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | 2. | Ramgarh – Bhadla-3 765kV | | <u>54.65 %</u> |
| Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. | Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | <u>18</u> | <u>100%</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVA Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. | Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | <u>18 months</u> | <u>24.31 %</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | Ramgarh – Bhadla-3 765kV | | <u>54.65 %</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Sl. No. | Clause No. | Existing Provisions | New / Revised Clause | | | | | | | | | | | | | | | | | | | | |
|---------|--|---|---|---------------------------------------|--|--|--|--|--|--|--|--|--|----|---------------------------------------|--|----------------------|--|----|--|-------------------------|-----------------------|--|
| | | <table border="1" data-bbox="389 175 1481 251"> <tr> <td data-bbox="389 175 505 251">3.</td> <td data-bbox="505 175 854 251">2 nos. of 765kV line bays at Bhadla-3</td> <td data-bbox="854 175 1016 251"></td> <td data-bbox="1016 175 1231 251"></td> <td data-bbox="1231 175 1481 251"></td> </tr> </table> <p data-bbox="389 305 739 324">.....</p> <p data-bbox="389 370 1311 397"><u>Scheduled COD for overall Project: 18 months from Effective Date.</u></p> <p data-bbox="389 462 658 482">.....</p> | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | | | <table border="1" data-bbox="1545 175 2548 873"> <tr> <td data-bbox="1545 175 1653 483"></td> <td data-bbox="1653 175 1921 483">D/c line along with 240 MVar Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line</td> <td data-bbox="1921 175 2083 483"></td> <td data-bbox="2083 175 2298 483"></td> <td data-bbox="2298 175 2548 483"></td> </tr> <tr> <td data-bbox="1545 483 1653 600">3.</td> <td data-bbox="1653 483 1921 600">2 nos. of 765kV line bays at Bhadla-3</td> <td data-bbox="1921 483 2083 600"></td> <td data-bbox="2083 483 2298 600"><u>2.28 %</u></td> <td data-bbox="2298 483 2548 600"></td> </tr> <tr> <td data-bbox="1545 600 1653 873">4.</td> <td data-bbox="1653 600 1921 873">± 2x300MVar STATCOM, 4x125 MVar MSC, 2x125 MVar MSR along with 2 nos. of 400 kV bays at Ramgarh PS</td> <td data-bbox="1921 600 2083 873"><u>24 months</u></td> <td data-bbox="2083 600 2298 873"><u>18.76 %</u></td> <td data-bbox="2298 600 2548 873"></td> </tr> </table> <p data-bbox="1518 889 1881 909">.....</p> <p data-bbox="1518 954 2451 982"><u>Scheduled COD for overall Project: 24 months from Effective Date.</u></p> <p data-bbox="1518 1047 1787 1066">.....</p> | | D/c line along with 240 MVar Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | <u>2.28 %</u> | | 4. | ± 2x300MVar STATCOM, 4x125 MVar MSC, 2x125 MVar MSR along with 2 nos. of 400 kV bays at Ramgarh PS | <u>24 months</u> | <u>18.76 %</u> | |
| 3. | 2 nos. of 765kV line bays at Bhadla-3 | | | | | | | | | | | | | | | | | | | | | | |
| | D/c line along with 240 MVar Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | | | | | | | | | | | | | | | | | | | | |
| 3. | 2 nos. of 765kV line bays at Bhadla-3 | | <u>2.28 %</u> | | | | | | | | | | | | | | | | | | | | |
| 4. | ± 2x300MVar STATCOM, 4x125 MVar MSC, 2x125 MVar MSR along with 2 nos. of 400 kV bays at Ramgarh PS | <u>24 months</u> | <u>18.76 %</u> | | | | | | | | | | | | | | | | | | | | |
| 2. | RFP | <p data-bbox="389 1068 1376 1096">ANNEXURE 8 -UNDERTAKING AND DETAILS OF EQUITY INVESTMENT</p> <p data-bbox="389 1161 739 1180">.....</p> <p data-bbox="389 1226 1491 1291">8. We confirm that our Bid meets the Scheduled COD of each transmission Element and the Project as specified below</p> | <p data-bbox="1518 1068 2505 1096">ANNEXURE 8 -UNDERTAKING AND DETAILS OF EQUITY INVESTMENT</p> <p data-bbox="1518 1161 1881 1180">.....</p> <p data-bbox="1518 1226 2567 1291">8. We confirm that our Bid meets the Scheduled COD of each transmission Element and the Project as specified below</p> | | | | | | | | | | | | | | | | | | | | |

| Sl. No. | Clause No. | Existing Provisions | | | | | New / Revised Clause | | | | | | | | |
|---------|------------|--|--|---|--|--|----------------------|---|---|--|--|--|--|--|--|
| | | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | | | | |
| | | 1. | Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | 18 | 100% | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | 1. | Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVA (765kV) Bus Reactor & 2x125 MVA (420kV) Bus Reactor | 18 months | 24.31 % | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on commissioning of each other. | | | | |
| | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVA Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | | | | | | | | | | |
| | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | | | | | | | | | | | |
| | | <p>.....</p> <p><u>Scheduled COD for overall Project: 18 months from Effective Date.</u></p> <p>.....</p> | | | | | | | | | | | | | |
| | | | | | | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVA Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | 54.65 % | | | | | |

| Sl. No. | Clause No. | Existing Provisions | New / Revised Clause | | | | | | | | |
|---------|-----------------------------|----------------------|---|--|--|--|----------------------|--|---|--|---|
| | | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | <u>2.28 %</u> | | | | | |
| | | | 4. | ± 2x300MVar STATCOM, 4x125 MVar MSC, 2x125 MVar MSR along with 2 nos. of 400 kV bays at Ramgarh PS | <u>24 months</u> | <u>18.76 %</u> | | | | | |
| | | | <p>.....</p> <p><u>Scheduled COD for overall Project: 24 months from Effective Date.</u></p> <p>.....</p> | | | | | | | | |
| 3. | Schedule 2 of TSA documents | Scheduled COD | | | | | Scheduled COD | | | | |
| | | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element | Sl. No. | Name of the Transmission Element | Scheduled COD in months from Effective Date | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Element(s) which are pre-required for declaring the commercial operation (COD) of the respective Element |
| | | 1. | Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVar (765kV) Bus Reactor & 2x125 | <u>18</u> | <u>100%</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is | 1. | Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along | <u>18 months</u> | <u>24.31 %</u> | Elements marked at Sl. No. 1, 2 & 3 are required to be commissioned simultaneously as their utilization is dependent on |

| Sl. No. | Clause No. | Existing Provisions | | | | New / Revised Clause | | | | | |
|---------|---------------|--|---|--|--|---|------------------------------------|---|------------------|----------------|------------------------------|
| | | | MVAr (420kV) Bus Reactor | | | dependent on commissioning of each other. | | with 2x240 MVAr (765kV) Bus Reactor & 2x125 MVAr (420kV) Bus Reactor | | | commissioning of each other. |
| | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVAr Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVAr Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | <u>54.65 %</u> | |
| | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | <u>2.28 %</u> | |
| | | <p>.....</p> <p><u>Scheduled COD for overall Project: 18 months from Effective Date.</u></p> <p>.....</p> | | | | | 4. | ± 2x300MVAr STATCOM, 4x125 MVAr MSC, 2x125 MVAr MSR along with 2 nos. of 400 kV bays at Ramgarh PS | <u>24 months</u> | <u>18.76 %</u> | |
| | | <p>.....</p> <p><u>Scheduled COD for overall Project: 24 months from Effective Date.</u></p> <p>.....</p> | | | | | | | | | |
| 4. | Schedule 5 of | Quoted Transmission Charges | | | | | Quoted Transmission Charges | | | | |

| Sl. No. | Clause No. | Existing Provisions | | | New / Revised Clause | | |
|---------|---------------|---------------------|--|--|----------------------|---|--|
| | | Sl. No. | Name of the Transmission Element | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project | Sl. No. | Name of the Transmission Element | Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project |
| | TSA documents | | | | | | |
| | | 1. | Establishment of 2x1500 MVA 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVAR (765kV) Bus Reactor & 2x125 MVAR (420kV) Bus Reactor | <u>100%</u> | 1. | Establishment of 2x1500 MVA, 765/400kV & 2x500 MVA 400/220 kV pooling station at Ramgarh along with 2x240 MVAR (765kV) Bus Reactor & 2x125 MVAR (420kV) Bus Reactor | <u>24.31 %</u> |
| | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVAR Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | | 2. | Ramgarh – Bhadla-3 765kV D/c line along with 240 MVAR Switchable line reactor at each circuit at Ramgarh end of Ramgarh – Bhadla-3 765kV D/c line | <u>54.65 %</u> |
| | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | | 3. | 2 nos. of 765kV line bays at Bhadla-3 | <u>2.28 %</u> |
| | | | | | 4. | ± 2x300MVAR STATCOM, 4x125 MVAR MSC, 2x125 MVAR MSR along with 2 nos. of 400 kV bays at Ramgarh PS | <u>18.76 %</u> |